



Philips Signage Solutions  
Multi-Touch Display

32"

Powered by Android  
Multi-touch

**SignageSolutions**



32BDL3651T

## Engage them

10-point Multi-Touch display.

Inspire collaboration. Deliver information. This responsive Philips Multi-Touch Professional Full HD Display is ideal for multi-finger, multi-user applications, from wayfinding to presentations. Up to 10 touch points can be active at once.

### Superb picture. Responsive touchscreen.

- Full HD. Clear images. Crisp contrast
- Plug-and-play 10-point Multi-Touch display
- Android SoC processor. Native and web apps

### Effortless setup. Total control.

- CMND & Deploy. Install and launch apps remotely
- Operate, monitor and maintain with CMND and Control
- CMND and Create. Develop and launch your own content

### Versatile system solution

- Energy-saving automatic backlight control
- FailOver ensures that content is always playing
- Internal memory. Upload content for instant play
- Simplified user interaction with kiosk mode

**PHILIPS**

# Highlights

## CMND & Deploy

Quickly install and launch any app - even when you're off site and working remotely. CMND & Deploy lets you add and update your own apps, as well as apps from the Philips Professional Display App Store. Simply scan the QR code, log in to the store and click on the app you want to install. The app will be automatically downloaded and launched.

## CMND and Control




Run your display network over a local (LAN) connection. CMND and Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

## CMND and Create



Take control of your content with CMND and Create. A drag-and-drop interface makes it simple to publish your own content, whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure that your stills, text and video will be up and running in no time.

## FailOver



From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs, ensuring that content keeps playing even if the

primary source goes down. Simply set a list of alternative inputs to be sure your business is always on.

## Internal memory

Save and play content without the need for a permanent external player. Your Philips professional display has an internal memory, which allows you to upload media into the display for instant playback. The internal memory also functions as a cache for online streaming.

## Powered by Android 8

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimised for native Android apps and you can install web apps directly to the display too. A new Android 8 OS ensures the software is kept secure and stays up to date with the latest specification for longer.

# Specifications

## Picture/Display

- Diagonal screen size: 32 inch / 80 cm
- Panel resolution: 1920 x 1080p
- Optimum resolution: 1920 x 1080 @ 60 Hz
- Brightness: 350 cd/m<sup>2</sup>
- Contrast ratio (typical): 4000:1
- Surface treatment: Anti-Glare coating
- Aspect ratio: 16:9
- Response time (typical): 6.5 ms
- Pixel pitch: 0.36375 (H) X 0.36375 (V) mm
- Display colours: 16.7 M
- Viewing Angle (H / V): 178 / 178 degree
- Panel technology: VA
- Operating system: Android 8.0
- Picture enhancement: 3/2 - 2/2 motion pull down, 3D Combfilter, 3D MA deinterlacing, Dynamic contrast enhancement, Motion compens. deinterlacing, Progressive scan

## Interactivity

- Multi-touch technology: Projected capacitive
- Touch points: 10 simultaneous touch points
- Plug and play: HID compliant
- Protection glass: 2 mm tempered safety glass

## Connectivity

- Video input: DVI-I (x 1), HDMI 2.0 (x 2), USB 2.0 Type A (x 2), USB 2.0 Type B (x 1), VGA (via DVI-I) x 1
- Audio input: 3.5 mm jack
- Audio output: 3.5 mm jack
- External control: RJ45, IR (in/out) 3.5 mm jack, RS232C (in/out) 2.5 mm jack
- Other connections: micro SD

## Supported Display Resolution

### Computer formats

| Resolution  | Refresh rate      |
|-------------|-------------------|
| 640 x 480   | 60, 67, 72, 75 Hz |
| 800 x 600   | 56, 60, 72, 75 Hz |
| 1024 x 768  | 60 Hz             |
| 1280 x 768  | 60 Hz             |
| 1280 x 800  | 60 Hz             |
| 1280 x 1024 | 60 Hz             |
| 1360 x 768  | 60 Hz             |
| 1366 x 768  | 60 Hz             |
| 1440 x 900  | 60 Hz             |
| 1600 x 1200 | 60 Hz             |
| 1920 x 1080 | 60 Hz             |
| 1920 x 1200 | 60 Hz             |
| 720 x 400   | 70 Hz             |
| 800 x 600   | 60, 72, 75 Hz     |
| 3840 x 2160 | 60 Hz, 50 Hz      |

### Video formats

| Resolution | Refresh rate |
|------------|--------------|
| 480i       | 60 Hz        |
| 480p       | 60 Hz        |
| 576p       | 50 Hz        |
| 576i       | 50 Hz        |
| 720p       | 50, 60 Hz    |
| 1080i      | 50, 60 Hz    |
| 1080p      | 50, 60 Hz    |
| 1080i      | 25, 30 Hz    |
| 480i       | 30, 60 Hz    |

|             |           |
|-------------|-----------|
| 576i        | 25, 50 Hz |
| 3840 x 2160 | 24, 25 Hz |
| 3840 x 2160 | 30Hz      |

## Convenience

- Placement: Landscape (18/7), Portrait (18/7)
- Signal loop through: IR Loop through, RS232
- Network controllable: RS232, RJ45
- Screen-saving functions: Pixel Shift, Low Brightness
- Keyboard control: Hidden, Lockable
- Remote control signal: Lockable
- Energy-saving functions: Smart Power

## Dimensions

- Set dimensions (W x H x D): 749.1 x 443.6 x 70.4 (D@Wall mount)/74.4 (D@AC) mm
- Set dimensions in inch (W x H x D): 29.49 x 17.46 x 2.77 D@Wall mount)/2.93 (D@AC) inch
- Product weight: 8.0 kg
- Product weight (lb): 17.64 lb
- VESA Mount: 100 mm x 100 mm, 200 mm x 200 mm, M4
- Bezel width: 2.0 mm (T/R/L/B)

## Sound

- Built-in speakers: 2 x 10 W

## Operating conditions

- Temperature range (operation): 0 ~ 40 °C
- MTBF: 50,000 hour(s)
- Altitude: 0 ~ 3000 m
- Temperature range (storage): -20~60 °C
- Humidity range (operation)[RH]: 20~80% (without condensation)
- Humidity range (storage) [RH]: 5~95% (without condensation)

## Power

- Mains power: 100 ~ 240 VAC, 50/60 Hz
- Standby power consumption: <0.5 W
- Consumption (Typical): 50 W
- Power Saving Features: Smart Power
- Consumption (Max): 80 W
- Energy Label Class: G

## Accessories

- Stand: BM05922 (Optional)
- Included Accessories: Cleaning cloth (x 1), IR sensor cable (1.8 m) (x 1), Philips logo (x 1), Power supply cable (3 m), Quick start guide (x 1), Remote control and AAA batteries, RS232 cable (3 m) (x 1), RS232 daisy chain cable (x 1), USB Cover and screw x 1

## Miscellaneous

- On-Screen Display Languages: Arabic, English, French, German, Italian, Japanese, Polish, Spanish, Turkish, Russian, Simplified Chinese, Traditional Chinese, Danish, Dutch, Finnish, Norwegian, Portuguese, Swedish
- Regulatory approvals: CB, CE, FCC, Class A, RoHS, BSMI, CU, ETL, IMDA, PSB
- Warranty: 3 year warranty

## Multimedia Applications

- USB Playback Picture: BMP, GIF, JPEG, JPG, PDF
- USB Playback Audio: AAC, AIF, AIFF, ASF, LPCM, M3U, M4A, MP3, MP4, WAV, WMA
- USB Playback Video: M2TS, M4V, MK3D, MKV, MP4, MPEG, MPG, MTS, TS, TTS, VOB, WMV

## Internal Player

- CPU: 2 x A53 + 2 x A73
- Memory: 2 GB DDR3, 8 GB
- GPU: ARM Mali G51
- Wi-Fi: 2.4 G, 5 G



Issue date 2021-08-23

Version: 1.0.1

12 NC: 8670 001 72681  
EAN: 87 12581 77394 6

© 2021 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)